



MISTIK MANAGEMENT LTD.

AUGUST 2025

2023/2024 ANNUAL REPORT

Meadow Lake Timber Supply Area and Glaslyn
Timber Supply Area



Mistik Management Ltd. 2019-2039 20-year Forest Management Plan

2023/24 Annual Report

for the

Meadow Lake Timber Supply Area and Glaslyn Timber Supply Area

Submitted by

Niska Hodgson, RPF

Planning Manager, Mistik Management Ltd.

Final Submission: August 7, 2025



1 TABLE OF CONTENTS

1	Table of Contents	2
2	Table of Figures	3
3	Introduction	4
4	FMP Target Summary	5
5	FMP Targets	5
6	FMP Standard Reporting Requirements	61
6.1	Management Implementation Team (MIT)	61
6.2	Annual Report Content	61
6.2.1	VOIT Tracking and Monitoring	61
6.2.2	FMP Registry	62
6.2.3	Silviculture Effectiveness Monitoring	64
6.2.4	Operational Implementation of the FMP	66
	Appendix A: Supporting Data	68

2 TABLE OF FIGURES

Figure 1 - Block 02-016-54 harvested in 2023/24 showing in-block retention.	16
Figure 2 - 2020 harvest area (example of low retention)	17
Figure 3 - 2023 & 2024 Harvest areas showing increased retention amount and types. Note corridors between blocks.	17
Figure 4 - Operations map showing pre-planned retention patches (green polygons). This helps ensure there are larger patches	18
Figure 5 – Example from the Mistik FMA showing complex of regenerating forest (background), old forest, and wetland.	29
Figure 6 - Helene fire block. Roads and open landings were planted in 2024	32
Figure 7 - FTG survey in the 2015 Bray Fire in the Dinner North operating area (survey was done in 2019).	33
Figure 8 – 2023/2024 Harvest event (TA007)	86

3 INTRODUCTION

Mistik Management Ltd. (“Mistik”) provides forest management services on behalf of its owners, NorSask Forest Products LP (“NorSask”), and Meadow Lake Mechanical Pulp Inc. (“MLMP”), both located near Meadow Lake, SK. Mistik also provides forest management services for NorthWind Forest Products (“NorthWind”) located in Glaslyn SK. Both NorSask and NorthWind are owned by Meadow Lake Tribal Council.

Mistik and NorthWind conduct their forestry operations within the context of a 20-year Forest Management Plan (FMP) as required under provincial legislation and forest management agreements in Saskatchewan, Forest Management Plans must meet the requirements of the *Saskatchewan Environmental Code, Forest Management Planning Standard 2017* (“FMP standard”). Mistik’s FMP provides strategic-level direction for management of forest resources within the Mistik and L&M Forest Management Agreement areas¹. The FMP establishes goals, objectives, and strategies to guide forest management activities, describes desired future forest conditions, and seeks to address land and resource use. Mistik’s 2019-2039 20-year FMP was approved on May 23, 2019.

This annual report is being submitted to fulfil the FMP reporting requirement of section 1-54 of the provincial FMP standard. Each annual report covers the timeframe of April 1– March 31, and assesses progress on FMP values, objectives, indicators, and targets (“VOITs”), public involvement, non-timber values, natural disturbances, compliance with legislation, and other FMP commitments. The 2023/24 operating year annual report contains information related to the 5-year assessment of several FMP VOITs.


Each FMP indicator has a defined assessment timeframe of annual, 5-year, or 10-year basis (refer to Section 5 – FMP Targets). Although most indicators are reported on annually, a more formal assessment is made according to the defined assessment timeframe. Annual reporting of indicators that are not being formally assessed outlines if the indicator is “on track” to meet the desired objective. The FMP Management Implementation Team (MIT) made up of company and Ministry of Environment representatives, reviews the annual report each year to determine why any indicators may be “off track” and if adjustments to procedures or operations need to be made.

For a full understanding of the FMP and indicators used, please refer to the *Mistik 2019-2039 20-year Forest Management Plan* which can be found on Mistik’s website (www.Mistik.ca).

Note that Mistik amended the forest management plan in 2022-23 to gain alignment with the Range Plan for Woodland Caribou in Saskatchewan, which was finalized by the province in October 2021. The changes to the forest management plan were approved and became effective April 1, 2023. Annual reports starting with the 2023-24 operating year will be updated to reflect these changes.

¹ The L&M Forest Management Agreement is now held by NorthWind Forest Products. References to “L&M” throughout the FMP and annual reports are in reference to activities undertaken on the L&M Forest Management Agreement area.

4 FMP TARGET SUMMARY



5 FMP TARGETS



Reporting Item	Description	Status (Parts)	Reporting Cycle	Assessment Cycle	Next Assessment Year	Location
<u>Target 1</u>	Age Class Distribution	Not Assessed (N/A)	Annual	10-Year	2028	Page 8.
<u>Target 2a</u>	Percent for the forest landbase that is old and very old (10 parts)	Not Assessed (On Track)	Annual	10-Year	2028	Page 10.
<u>Target 2b</u>	Standard deviation of old forest area by management unit (5 parts)	Not Assessed (Monitor)	Annual	10-Year	2028	Page 12.

Reporting Item	Description	Status (Parts)	Reporting Cycle	Assessment Cycle	Next Assessment Year	Location
<u>Target 3</u>	Size class distribution of harvest events	Not Assessed (Monitor)	5-year	10-Year	2028	Page 13.
<u>Target 4</u>	Tree retention after harvest	Off Target	Annual	5-Year	2023	Page 14.
<u>Target 5</u>	The softwood component in hardwood stands is maintained	On Target	Annual	5-Year	2023	Page 19.
<u>Target 6</u>	Relative abundance of SGR Forest Types are forecasted to be maintained at next rotation	Off Target	Annual	5-Year	2023	Page 20.
<u>Target 7a</u>	Current habitat availability for Fisher vs. predicted future (modelled) supply	Off Target	Annual	5-Year	2023	Page 22.
<u>Target 7b</u>	Habitat availability for Caribou	On Target	Annual	Annual	Annual	Page 24.
<u>Target 7c</u>	Current habitat availability for Moose vs. predicted future (modeled) supply	Off Target	Annual	Annual	Annual	Page 28.
<u>Target 8</u>	Seedlings are from wild or improved seed sources	On Target	Annual	5-Year	2023	Page 30.
<u>Target 9</u>	Post-harvest areas are successfully regenerated	Off Target	Annual	5-Year	2023	Page 31.
<u>Target 10</u>	Change in the managed forest landbase area	On Target	Annual	5-Year	2023	Page 34.
<u>Target 11</u>	Net area disturbed by stand replacing natural events (fire)	Off Target	Annual	Annual	Annual	Page 35.
<u>Target 12</u>	Proportion of a natural disturbance event retained un-salvaged	On Target	Annual	5-Year	2023	Page 36.
<u>Target 13</u>	Yield curve suitability; measured by actual harvest volume (m ³ /ha) compared to predicted volume	Off Target	5-year	5-Year	2023	Page 37.
<u>Target 14</u>	Utilization assumption consistency and implementation	On Target	Annual	Annual	Annual	Page 40.
<u>Target 15</u>	Operational adherence to the Tactical Plan	On Target	Annual	5-Year	2023	Page 41.

Reporting Item	Description	Status (Parts)	Reporting Cycle	Assessment Cycle	Next Assessment Year	Location
<u>Target 16</u>	Harvesting activities in compliance with all related requirements	Off Target	Annual	5-Year	2023	Page 42.
<u>Target 17</u>	Crossing activities in compliance with all related requirements	On Target	Annual	5-Year	2023	Page 43.
<u>Target 18</u>	Event Duration	On Target	Annual	5-Year	2023	Page 44.
<u>Target 19a</u>	Utilization of harvest volume schedule (HVS)	On Target	Annual	5-Year	2023	Page 45.
<u>Target 19b</u>	Harvest plans designed to lower wildfire risks to communities	On Target	Annual	5-Year	2023	Page 47.
<u>Target 20</u>	Stakeholder and public engagement (Public Advisory Group meetings)	On Target	Annual	Annual	Annual	Page 48.
<u>Target 21</u>	Spatially identified non-timber resources and forest use activities	On Target	Annual	Annual	Annual	Page 49.
<u>Target 22</u>	Harvest operations are proportionally distributed across the FMA	Off Target	Annual	5-Year	2023	Page 50.
<u>Target 23</u>	Aboriginal community involvement in planning processes	On Target	Annual	Annual	Annual	Page 52.
<u>Target 24</u>	Spatial Identification and protection of culturally significant Heritage and Aboriginal sites	On Target	Annual	5-Year	2023	Page 53.
<u>Target 25</u>	Impacts of Climate Change on the Mistik FMP Area (2 Parts)	This target is a voluntary commitment not related to the FMP VOITs. It has no associated target and is included for monitoring purposes only				Page 54.
<u>Target 26a</u>	Contributions to Co-management Boards	On Target	Annual	5-Year	2023	Page 57.
<u>Target 26b</u>	% of total annual vendor / contractor payments made to local businesses	On Target	Annual	5-Year	2023	Page 58.
<u>Target 26c</u>	Percent of 'within-FMA area' communities represented in the workforce	On Target	Annual	5-Year	2023	Page 59.
<u>Target 27</u>	Stakeholder Engagement	On Target	Annual	Annual	Annual	Page 60.

Indicator #1	Age Class Distribution	Status	Not Assessed (N/A)																																																																																																																																																																																																																	
Target #1	Monitor the age class distribution of the Managed Forest Landbase compared to the projected distribution in 10-years based on the Forest Estate Modeling.	Reporting Cycle Assessment Cycle	Annual 10-year																																																																																																																																																																																																																	
Area (ha) 250,000 200,000 150,000 100,000 50,000 0 0 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 160 170 180 190 200 Age Class ■ 10-Year Projection ■ Current <table><thead><tr><th>Age Class (Years)</th><th colspan="10">Year of Measurement</th><th>Current Status</th><th>10-Year FMP Projection</th></tr><tr><th></th><th>2019</th><th>2020</th><th>2021</th><th>2022</th><th>2023</th><th>2024</th><th>2025</th><th>2026</th><th>2027</th><th>2028</th><th></th><th></th></tr></thead><tbody><tr><td>0 (ha)</td><td>123,525</td><td>121,922</td><td>141,375</td><td>142,332</td><td>232,984</td><td></td><td></td><td></td><td></td><td rowspan="12">Assessment Year</td><td>232,984</td><td>92,286</td></tr><tr><td>10 (ha)</td><td>56,494</td><td>54,479</td><td>52,001</td><td>49,388</td><td>46,826</td><td></td><td></td><td></td><td></td><td>46,826</td><td>128,999</td></tr><tr><td>20 (ha)</td><td>110,983</td><td>62,385</td><td>65,160</td><td>66,767</td><td>64,747</td><td></td><td></td><td></td><td></td><td>64,747</td><td>53,638</td></tr><tr><td>30 (ha)</td><td>52,538</td><td>58,769</td><td>60,125</td><td>64,074</td><td>61,608</td><td></td><td></td><td></td><td></td><td>61,608</td><td>96,404</td></tr><tr><td>40 (ha)</td><td>41,449</td><td>50,341</td><td>49,266</td><td>49,273</td><td>29,687</td><td></td><td></td><td></td><td></td><td>29,687</td><td>50,408</td></tr><tr><td>50 (ha)</td><td>41,758</td><td>41,257</td><td>39,691</td><td>39,716</td><td>32,945</td><td></td><td></td><td></td><td></td><td>32,945</td><td>40,843</td></tr><tr><td>60 (ha)</td><td>110,828</td><td>43,492</td><td>42,543</td><td>42,381</td><td>37,007</td><td></td><td></td><td></td><td></td><td>37,007</td><td>42,490</td></tr><tr><td>70 (ha)</td><td>97,544</td><td>109,160</td><td>106,606</td><td>105,794</td><td>97,777</td><td></td><td></td><td></td><td></td><td>97,777</td><td>99,841</td></tr><tr><td>80 (ha)</td><td>110,189</td><td>96,932</td><td>92,043</td><td>91,094</td><td>83,716</td><td></td><td></td><td></td><td></td><td>83,716</td><td>86,447</td></tr><tr><td>90 (ha)</td><td>61,530</td><td>108,646</td><td>104,305</td><td>103,342</td><td>90,079</td><td></td><td></td><td></td><td></td><td>90,079</td><td>87,744</td></tr><tr><td>100 (ha)</td><td>33,914</td><td>60,237</td><td>57,673</td><td>57,124</td><td>49,808</td><td></td><td></td><td></td><td></td><td>49,808</td><td>46,734</td></tr><tr><td>110 (ha)</td><td>18,644</td><td>33,537</td><td>32,032</td><td>31,651</td><td>24,020</td><td></td><td></td><td></td><td></td><td>24,020</td><td>25,224</td></tr><tr><td>120+ (ha)</td><td>19,115</td><td>37,352</td><td>35,692</td><td>35,571</td><td>27,308</td><td></td><td></td><td></td><td></td><td>27,308</td><td>27,453</td></tr><tr><td>Variance</td><td colspan="12">N/A – No associated target</td></tr><tr><td>Comments</td><td colspan="12"> Maintenance of age class distribution of the Mistik FMP area is important for a number of ecological values that depend on the full suite of seral stages being present on the landscape. </td></tr></tbody></table>				Age Class (Years)	Year of Measurement										Current Status	10-Year FMP Projection		2019	2020	2021	2022	2023	2024	2025	2026	2027	2028			0 (ha)	123,525	121,922	141,375	142,332	232,984					Assessment Year	232,984	92,286	10 (ha)	56,494	54,479	52,001	49,388	46,826					46,826	128,999	20 (ha)	110,983	62,385	65,160	66,767	64,747					64,747	53,638	30 (ha)	52,538	58,769	60,125	64,074	61,608					61,608	96,404	40 (ha)	41,449	50,341	49,266	49,273	29,687					29,687	50,408	50 (ha)	41,758	41,257	39,691	39,716	32,945					32,945	40,843	60 (ha)	110,828	43,492	42,543	42,381	37,007					37,007	42,490	70 (ha)	97,544	109,160	106,606	105,794	97,777					97,777	99,841	80 (ha)	110,189	96,932	92,043	91,094	83,716					83,716	86,447	90 (ha)	61,530	108,646	104,305	103,342	90,079					90,079	87,744	100 (ha)	33,914	60,237	57,673	57,124	49,808					49,808	46,734	110 (ha)	18,644	33,537	32,032	31,651	24,020					24,020	25,224	120+ (ha)	19,115	37,352	35,692	35,571	27,308					27,308	27,453	Variance	N/A – No associated target												Comments	Maintenance of age class distribution of the Mistik FMP area is important for a number of ecological values that depend on the full suite of seral stages being present on the landscape.											
Age Class (Years)	Year of Measurement										Current Status	10-Year FMP Projection																																																																																																																																																																																																								
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028																																																																																																																																																																																																										
0 (ha)	123,525	121,922	141,375	142,332	232,984					Assessment Year	232,984	92,286																																																																																																																																																																																																								
10 (ha)	56,494	54,479	52,001	49,388	46,826						46,826	128,999																																																																																																																																																																																																								
20 (ha)	110,983	62,385	65,160	66,767	64,747						64,747	53,638																																																																																																																																																																																																								
30 (ha)	52,538	58,769	60,125	64,074	61,608						61,608	96,404																																																																																																																																																																																																								
40 (ha)	41,449	50,341	49,266	49,273	29,687						29,687	50,408																																																																																																																																																																																																								
50 (ha)	41,758	41,257	39,691	39,716	32,945						32,945	40,843																																																																																																																																																																																																								
60 (ha)	110,828	43,492	42,543	42,381	37,007						37,007	42,490																																																																																																																																																																																																								
70 (ha)	97,544	109,160	106,606	105,794	97,777						97,777	99,841																																																																																																																																																																																																								
80 (ha)	110,189	96,932	92,043	91,094	83,716						83,716	86,447																																																																																																																																																																																																								
90 (ha)	61,530	108,646	104,305	103,342	90,079						90,079	87,744																																																																																																																																																																																																								
100 (ha)	33,914	60,237	57,673	57,124	49,808						49,808	46,734																																																																																																																																																																																																								
110 (ha)	18,644	33,537	32,032	31,651	24,020						24,020	25,224																																																																																																																																																																																																								
120+ (ha)	19,115	37,352	35,692	35,571	27,308					27,308	27,453																																																																																																																																																																																																									
Variance	N/A – No associated target																																																																																																																																																																																																																			
Comments	Maintenance of age class distribution of the Mistik FMP area is important for a number of ecological values that depend on the full suite of seral stages being present on the landscape.																																																																																																																																																																																																																			

- Differences between age classes in 2019 and 2020 are largely caused by the aging of stands within the landbase rather than harvest, as stands are typically assigned an origin in the SFVI in an increment of 10 years (e.g., 1910, 1920, 1930, etc.), and these stands switch to the next age class also in years in increments of 10 (e.g., 2020).
- 2020 total ha for 120+ year age class was corrected due to an error.
- A significant amount of area burned in 2023, resulting in large increases to the 0-age age class that were not accounted for in the 10-Year FMP Projection. See indicator 11 for more information.

Indicator #2a		Percent of the forest landbase that is old and very old										Status		Not Assessed (On Track)																																					
Target #2a		Forest land base (managed forest landbase + eligible excluded forest) that is 'old' and 'very old' for the following six forest cover types: S-bS, S-jP, S-wS, SH, HS, and H, are maintained above the minimum thresholds of the 2 nd quartile of the natural range of variation for a 74-year fire cycle.										Reporting Cycle		Annual																																					
												Assessment Cycle		10-Year																																					
Old Forest & Very Old Forest										Very Old Forest																																									
 <table><caption>Amount of Old and Very Old Forest (% of Total Area)</caption><thead><tr><th>Species Group</th><th>Target</th><th>Actual</th></tr></thead><tbody><tr><td>S-bS</td><td>5.0%</td><td>19.3%</td></tr><tr><td>S-jP</td><td>5.0%</td><td>10.5%</td></tr><tr><td>S-wS</td><td>9.0%</td><td>31.9%</td></tr><tr><td>SH/HS</td><td>10.0%</td><td>12.2%</td></tr><tr><td>H</td><td>14.0%</td><td>25.8%</td></tr></tbody></table>										Species Group	Target	Actual	S-bS	5.0%	19.3%	S-jP	5.0%	10.5%	S-wS	9.0%	31.9%	SH/HS	10.0%	12.2%	H	14.0%	25.8%	 <table><caption>Amount of Very Old Forest (% of Total Area)</caption><thead><tr><th>Species Group</th><th>Target</th><th>Actual</th></tr></thead><tbody><tr><td>S-bS</td><td>0.5%</td><td>8.7%</td></tr><tr><td>S-jP</td><td>0.5%</td><td>2.3%</td></tr><tr><td>S-wS</td><td>0.9%</td><td>14.8%</td></tr><tr><td>SH/HS</td><td>1.0%</td><td>2.9%</td></tr><tr><td>H</td><td>1.4%</td><td>3.1%</td></tr></tbody></table>						Species Group	Target	Actual	S-bS	0.5%	8.7%	S-jP	0.5%	2.3%	S-wS	0.9%	14.8%	SH/HS	1.0%	2.9%	H	1.4%	3.1%
Species Group	Target	Actual																																																	
S-bS	5.0%	19.3%																																																	
S-jP	5.0%	10.5%																																																	
S-wS	9.0%	31.9%																																																	
SH/HS	10.0%	12.2%																																																	
H	14.0%	25.8%																																																	
Species Group	Target	Actual																																																	
S-bS	0.5%	8.7%																																																	
S-jP	0.5%	2.3%																																																	
S-wS	0.9%	14.8%																																																	
SH/HS	1.0%	2.9%																																																	
H	1.4%	3.1%																																																	
■ Target ■ Actual (On Target) ■ Actual (Off Target)										■ Target ■ Actual (On Target) ■ Actual (Off Target)																																									
Age Class	Species Group	Year of Measurement										Current Status	Percent of Target	Target																																					
		2019	2020	2021	2022	2023	2024	2025	2026	2027	2028																																								
Old Forest & Very Old Forest (%)	S-bS	15.3	15.2	22.4	22.4	19.3						Assessment Year	19.3	386%	5.0																																				
	S-jP	7.8	7.6	13.6	13.5	10.5							10.5	209%	5.0																																				
	S-wS	27.0	26.6	36.2	35.9	31.9							31.9	354%	9.0																																				
	SH/HS	9.3	9.0	14.5	14.4	12.2							12.2	122%	10.0																																				
	H	16.6	15.8	29.9	29.6	25.8							25.8	185%	14.0																																				
Very Old Forest (%)	S-bS	6.3	6.3	10.0	10.0	8.7							8.7	1730%	0.5																																				
	S-jP	1.7	1.8	3.3	3.3	2.3							2.3	456%	0.5																																				
	S-wS	12.6	12.4	17.7	17.6	14.8							14.8	1647%	0.9																																				
	SH/HS	2.0	1.9	3.7	3.7	2.9							2.9	294%	1.0																																				
	H	1.9	1.9	3.8	3.7	3.1							3.1	218%	1.4																																				
Variance		No acceptable variance																																																	
Comments		• “Old Forest” = older than 100 years (S-wS/jP/bS or SH), or 90 years (HS or H) / “Very Old Forest” = older than 120 years (all stands).																																																	

- Differences between age classes in 2020 and 2021 are largely caused by the aging of stands within the landbase rather than harvest, as stands are typically assigned an origin in the SFVI in an increment of 10 years (e.g., 1910, 1920, 1930, etc.), and these stands switch to the next age class also in years in increments of 10 (e.g., 2021) in this indicator.
- The drop in old forest levels in many species is due to a large amount of wildfire in the 2023 (see indicator 11)

Indicator #2b

Standard deviation of old forest area by management unit

Target #2b

The current standard deviation of old forest area among the 13 management units for each of the five forest cover types: S-bS, S-jP, S-wS, SH/HS, and H, associated with any level of old forest amount shall not deviate by more than 5% of the modeled linear relationship of the natural range of variation of standard deviations among management units for a specified old forest amount (and never below 2%). (No acceptable variance).

Status


Not Assessed
(Monitor)

Reporting Cycle

Annual

Assessment Cycle

10-Year



Species Group	Year of Measurement										Current Status	Within Acceptable Range?	Target Range (%)
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028			
S-bS (%)	9.6	9.4	15.3	15.3	16.9						16.9	Yes	10.9 - 20.9
S-jP (%)	4.5	4.3	7.0	6.9	7.5						7.5	Yes	4.5 - 14.5
S-wS (%)	14.5	14.6	14.4	14.8	16.1						16.1	No	21.3 - 31.3
SH/HS (%)	5.2	5.2	5.4	5.3	5.8						5.8	Yes	4.5 - 14.5
H (%)	8.9	8.5	14.9	14.9	13.7						13.7	Yes	8.1 - 18.1

Variance	+/- 5% from the modelled standard deviation amount of old forest (See 'Target Range')												
Comments	"Old Forest" = older than 100 years (S-wS/jP/bS or SH), or 90 years (HS or H) - This indicator reflects the distribution of old forest between management units. A standard deviation below target indicates that there are relatively equal amounts of old forest across management units, whereas a standard deviation above target indicates that old forest is clustered strongly in a few management units more than others. Targets for each species reflect an intermediate level of variation, based on the natural range of variation calculated for the Mistik FMA by Anderson (2006)¹. Note that targets change each year, based on the amount of old forest on the landbase, as the amount of old forest present in a given year will impact the desired range of variation in old forest between management units, and targets are scaled accordingly in each year. - In 2023, the observed standard deviation for S-wS (white spruce) is less than the target range, indicating that the old forest for this species is more evenly distributed than targeted. However, this likely reflects the fact that there is also a much greater amount of old S-wS forest on the landscape than targeted (see target 2a), which may reduce the observed standard deviation if this excess of old forest is relatively equally distributed between management units. ¹Anderson, D. W. 2006. <i>Natural Levels of Forest Seral-Stage Variability on the Mistik Management FMA Area in Saskatchewan. Bandaloop Landscape-Ecosystems, Belcarra, British Columbia, Canada. 84 pp.</i>												

Indicator #3

Size class distribution of harvest events

Target #3

The targets for harvest distribution by event size class (based on a 10-year event measurement period) shall be within the acceptable range for each size class.

Status


Not Assessed
(Monitor)

Reporting Cycle

5-Year

Assessment Cycle

10-Year



Event Size Class (ha)	Year of Measurement										Cumulative Total	Within Acceptable Range?	Target Range
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028			
0-100 ha (%)	N/A	1.0%	25.8%	11.5%	0%						9.2%	No	10 – 30%
101-1500 ha (%)	N/A	4.4%	74.2%	88.5%	100%						49.7%	No	54 – 74%
1501-3500 ha (%)	N/A	94.6%	0%	0%	0%						41.1%	No	10 – 18%
3500-8000 ha (%)	N/A	0%	0%	0%	0%						0.0%	No	2 – 10%
>8000 ha (%)	N/A	0%	0%	0%	0%						0.0%	Yes	0 – 10%

Variance

No acceptable variance outside of given range

Comments

- To determine harvest events, only blocks within a 10-year period (starting in 2019) are included*. Within the specified 10 years, blocks were buffered by 250m and blocks whose buffers overlapped were grouped together into an event. The outer boundaries of the combined buffers were buffered back inward by 250m and the resulting boundary is considered the event boundary. More information on this process and information on harvest events can be found in Appendix A, sections A6 and A7. Target is based on completed events only and only harvest events completed in 2019 and after are considered.
- One harvest event was completed in 2023 (TA007); however this event was unique in that a single block had been harvested in this area before the entire event area was burned. It was determined in this year that no future harvest would occur in this event as a result.
- While the total number of completed events represent a variety of size classes (therefore meeting the intent of this indicator, which is to achieve a variety of disturbance event sizes), due to the limited number of events completed at this time, it was not possible to achieve a precise distribution of harvest event sizes. Each year, with the addition of completed events, the cumulative totals move closer to being within the acceptable range.

*Harvest under the current tactical plan from 2017 and 2018 has been included in event TA058 in 2020, however this is an exception and normally only blocks harvested in the 2019/20 operating year or later are considered.

Indicator #4

Tree retention after harvest

Target #4

For harvest events with >20 ha of harvest area, total retention will be an average of 9% made up of at least 4% in insular retention, including clumps (<2 ha), islands (>2 ha), and individual trees (in groups of 4 trees or less). The remainder will be made up of proximal retention (connected to the block boundary).

Status


Off Target

Reporting Cycle

Annual

Assessment Cycle

5-Year



Category	Year of Measurement										Cumulative Average	Current Status	Percent of Target	Target
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028				
Total Retention (%)	N/A	4.9%	6.3%	12.6%	3.4%						8.0%	3.4%	88%	9%
Insular Retention (%)	N/A	1.5%	2.6%	3.3%	3.3%						2.4%	3.3%	59%	4%

Variance

No acceptable variance

Comments


- This target is based on completed events only. Only harvest events starting in 2019 and after are considered.
- Individual harvest event data can be found in Appendix A, sections A6 and A7.
- Note that the small clumps and single trees are not included in these measurements.
- One harvest event was completed in 2023 (TA007); however this event was unique in that a single block had been harvested in this area before the entire event area was burned. It was determined in this year that no future harvest would occur in this event as a result. As a result, this event is not necessarily representative of Mistik's retention strategy as it was not allowed to be completed in its entirety prior to being burned.
- A correction has been made to the Total Retention (%) for 2022: the accurate value is 12.6%. In previous reports, the proximal retention was incorrectly reported as the total retention. The cumulative average and percent of target were correct and have not been updated.


Indicator #4	Tree retention after harvest	Status	Off Target
Target #4	For harvest events with >20 ha of harvest area, total retention will be an average of 9% made up of at least 4% in insular retention, including clumps (<2 ha), islands (>2 ha), and individual trees (in groups of 4 trees or less). The remainder will be made up of proximal retention (connected to the block boundary).	Reporting Cycle	Annual
5-Year Assessment	<u>5-Year Assessment</u> Mistik recognizes that, while these numbers have improved considerably from previous years, the insular retention % is still slightly lower than the target. We will continue to work with contractors and supervisors to ensure adequate retention is being left in harvest blocks and events. Mistik has provided additional training to contractors through spring start-up training and harvest supervision. We have also started including pre-planned retention patches in pre-harvest site prescriptions in larger blocks to ensure that overall retention area targets are achieved. Harvest areas for the past two years are mainly in events that are not completed yet, so the results of these changes are not reflected in this indicator at this time. Please see photo below which is representative of retention in more recent harvest areas. Figure 1 below provides an example of retention which is representative of recent harvest areas. Also shown are satellite imagery from example blocks in 2020 (Figure 2), representative of older practices with less retention, and 2023-24 (Figure 3) with more recent retention practices, including more retention and corridors between blocks. Figure 4 shows an example of an operations map with pre-planned retention.	Assessment Cycle	5-Year

Indicator #4	Tree retention after harvest	Status	Off Target
Target #4	For harvest events with >20 ha of harvest area, total retention will be an average of 9% made up of at least 4% in insular retention, including clumps (<2 ha), islands (>2 ha), and individual trees (in groups of 4 trees or less). The remainder will be made up of proximal retention (connected to the block boundary).	Reporting Cycle	Annual
		Assessment Cycle	5-Year

Figure 1 - Block 02-016-54 harvested in 2023/24 showing in-block retention.

Indicator #4	Tree retention after harvest	Status	Off Target
Target #4	For harvest events with >20 ha of harvest area, total retention will be an average of 9% made up of at least 4% in insular retention, including clumps (<2 ha), islands (>2 ha), and individual trees (in groups of 4 trees or less). The remainder will be made up of proximal retention (connected to the block boundary).	Reporting Cycle	Annual
5-Year Assessment	 Figure 2 - 2020 harvest area (example of low retention)	Assessment Cycle	5-Year
		 Figure 3 - 2023 & 2024 Harvest areas showing increased retention amount and types. Note corridors between blocks.	

Indicator #4	Tree retention after harvest	Status	Off Target
Target #4	For harvest events with >20 ha of harvest area, total retention will be an average of 9% made up of at least 4% in insular retention, including clumps (<2 ha), islands (>2 ha), and individual trees (in groups of 4 trees or less). The remainder will be made up of proximal retention (connected to the block boundary).	Reporting Cycle	Annual
5-Year Assessment	 Figure 4 - Operations map showing pre-planned retention patches (green polygons). This helps ensure there are larger patches and total retention is sufficient to meet the target. Operators leave retention in addition to what is shown here.	Assessment Cycle	5-Year




Indicator #6

Target #6

Relative abundance of SGR Forest Types are forecasted to be maintained at next rotation

The area by stand type of regenerating stands, as measured at the Free to Grow survey, will be consistent with the transition assumptions used in the Forest Estate Modeling.



Status		Off Target	
Reporting Cycle		Annual	
Assessment Cycle		5-Year	
SGR Forest Types	Cumulative (2019-2023)		
	Status	% Target	Target
S-wS (ha)	773.7	57.1%	1,356.1
S-bS (ha)	0.0	0.0%	344.7
S-jP (ha)	5,136.6	105.8%	4,855.4
SH-jP (ha)	1,304.4	166.1%	785.5
SH-wS (ha)	8,717.0	231.1%	3,772.4
HS-wS (ha)	2,255.6	60.4%	3,732.0
HS-jP (ha)	317.0	112.9%	280.7
H (ha)	3,407.0	50.8%	6,708.1

SGR Forest Types (Predicted Area)	Year of Measurement										Current Status	Percent of Target	Target
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028			
S-wS (ha)	527.9	39.2	164.2	42.4	0.0						0.0	0.0%	82.2
S-bS (ha)	0.0	0.0	0.0	0.0	0.0						0.0	0.0%	39.3
S-jP (ha)	995.3	1,924.8	1,195.0	830.2	191.3						191.3	88.7%	215.8
SH-jP (ha)	276.0	668.1	286.6	31.9	41.9						41.9	140.4%	29.8
SH-wS (ha)	3,283.7	1,494.1	2,411.6	904.0	623.6						623.6	165.6%	376.7
HS-wS (ha)	215.9	818.6	268.3	472.4	480.5						480.5	131.2%	366.1
HS-jP (ha)	81.0	102.6	50.9	82.4	0.0						0.0	0.0%	12.8
H (ha)	1,114.2	267.9	546.1	435.9	1,042.9						1,042.9	83.1%	1255.1

Variance

+/- 10% of target area for each species group.

Comments

- All Free-to-Grow surveys completed in 2023 were performed aerially as per Government of Saskatchewan standards. The SGR Forest Types assigned to these surveys represent the predicted status at an expected rotation age, based on successional trajectories modelled by Gelhorn, L. (2009)¹. Note that these results represent only a single year of survey data, and that these successional trajectories were modelled using a limited dataset and may not accurately represent future stand status. In the long-term, the potential for developing a more accurate model of stand successional trajectories, using a wider representation of available survey data, will be explored.

¹Gelhorn, L. 2009. Development of a Regenerating Mixedwood Succession Matrix. Timberline Natural Resource Group Ltd., Prince Albert, Saskatchewan, Canada.




2023/24 ANNUAL REPORT

PROJECT #G-275
APRIL 2025

5-Year Assessment

5-Year Assessment

Cumulative values from 2019-2023 shown in top table. Mistik is continuing to refine renewal treatments to better match pre-harvest SGR types. Additionally, pre-harvest SGR types which are derived from the current forest inventory may be inaccurate due to the age of the inventory. Mistik is hoping to have a new inventory available near the end of the 2026/27 operating year





2023/24 ANNUAL REPORT

PROJECT #G-275
APRIL 2025

5-Year Assessment


5-Year Assessment

A significant amount of area burned in 2023, resulting in a decrease to fisher habitat that was not accounted for in the 10-Year FMP Projection. See indicator 11 for more information.

Indicator #7b	Part 1: Habitat availability for Caribou – CM-1, CM-2, & CM-4 [2019-2022]										Status	N/A																																																																																																				
Target #7b	No new timber harvesting or related activities will be planned for Mistik Caribou Habitat Management (CM) areas CM-1, CM-2, or CM-4 in the next 10 years. Mistik-caused disturbance in each CM area will be less-than or equal to the current disturbance percentage.										Reporting Cycle	Annual																																																																																																				
											Assessment Cycle	Annual																																																																																																				
Part 1 – CM-1 / CM-2 / CM-4																																																																																																																
																																																																																																																
<table><tr><th rowspan="2">New Harvest, by Caribou Habitat Management Area</th><th colspan="10">Year of Measurement</th><th rowspan="2">Current Status</th><th rowspan="2">Target</th></tr><tr><th>2019</th><th>2020</th><th>2021</th><th>2022</th><th>2023</th><th>2024</th><th>2025</th><th>2026</th><th>2027</th><th>2028</th></tr><tr><td>CM-1 (ha)</td><td>0</td><td>0</td><td>0</td><td>0</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>0</td></tr><tr><td>CM-2 (ha)</td><td>0</td><td>0</td><td>0</td><td>0</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>0</td></tr><tr><td>CM-4 (ha)</td><td>0</td><td>0</td><td>0</td><td>0</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>0</td></tr><tr><td>CM-1 (% Disturbance)</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td></tr><tr><td>CM-2 (% Disturbance)</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td></tr><tr><td>CM-4 (% Disturbance)</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td><td>N/A</td></tr></table>												New Harvest, by Caribou Habitat Management Area	Year of Measurement										Current Status	Target	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	CM-1 (ha)	0	0	0	0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	CM-2 (ha)	0	0	0	0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	CM-4 (ha)	0	0	0	0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0	CM-1 (% Disturbance)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	CM-2 (% Disturbance)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	CM-4 (% Disturbance)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
New Harvest, by Caribou Habitat Management Area	Year of Measurement										Current Status		Target																																																																																																			
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028																																																																																																						
CM-1 (ha)	0	0	0	0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0																																																																																																				
CM-2 (ha)	0	0	0	0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0																																																																																																				
CM-4 (ha)	0	0	0	0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	0																																																																																																				
CM-1 (% Disturbance)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A																																																																																																				
CM-2 (% Disturbance)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A																																																																																																				
CM-4 (% Disturbance)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A																																																																																																				
Variance	2% acceptable variance.																																																																																																															
Comments	- Note that Mistik CM areas are not directly correlated to provincial caribou tier areas. CM-1, CM-2, and CM-4 are caribou management areas that were identified as areas with high-quality or important caribou habitat, or that which is important for habitat connectivity. Mistik has committed to staying out of these areas. - The FMP was amended effective April 1, 2023 to gain alignment with the <i>Range Plan for Woodland Caribou in Saskatchewan (SK2 West Caribou Administration Unit)</i>. Annual Reports starting in 2023/24 reflect the new indicators for this target. <u>Please refer to revised indicator 7b page below.</u>																																																																																																															

Indicator #7b	Part 2: Habitat availability for Caribou – CM-1a, CM-2a [2019-2022]									Status	N/A	
Target #7b	All harvest-related activities in CM-1a and CM-2a areas will follow “least-impact” forestry practices identified in the Woodland Caribou Habitat Mitigation Plan.									Reporting Cycle	Annual	
										Assessment Cycle	Annual	
Part 2 – CM-1a / CM-2a												
% Harvest Area (CM-1a/CM-2a) Following “Least-Impact” Practices 100% 90% 80% 70% 60% 50% 40% 30% 20% 10% 0% N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A 2019202020212022202320242025202620272028Target Year ■ Target ■ Actual (On Target) ■ Actual (Off Target)												
New Harvest, by Caribou Habitat Management Area	Year of Measurement										Current Status	Target
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028		
CM-1a Area Harvested (ha)	0	0	0	0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
CM-2a Area Harvested (ha)	0	0	0	0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
CM-1a Blocks (blk. numbers)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
CM-2a Blocks (blk. numbers)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
CM-1a (% Blocks, by Area, Meeting “Least-Impact” Practices)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	100%
CM-2a (% Blocks, by Area, Meeting “Least-Impact” Practices)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	100%
Variance	2% acceptable variance.											
Comments	“Least-impact” forestry practices includes block designs that follow natural forest pattern principles, winter harvest, temporary/minimal access construction, road reclamation within 1 year of harvest/haul completion, renewal activities within 1 year of harvest, no activity between March 1 – June 1.											

- The FMP was amended effective April 1, 2023 to gain alignment with the *Range Plan for Woodland Caribou in Saskatchewan (SK2 West Caribou Administration Unit)*. Annual Reports starting in 2023/24 reflect the new indicators for this target. Please refer to revised indicator 7b page below.

Indicator #7b	Habitat availability for Caribou – Tiers 1, 2, and 3 (2023-2028)	Status	On Target												
Target #7b	Follow harvest deferral timelines (tier and sub-tier) as agreed to and approved in the 2023 FMP Amendment.	Reporting Cycle	Annual												
		Assessment Cycle	Annual												
New Area Harvested (ha)															
	■ Tier 1 (Sub-tier 13) ■ Tier 1 (Sub-tier 19) ■ Tier 1 (Other) ■ Tier 2 (Sub-tier 11) ■ CM-4 (old CMHA)														
	Area Harvested (ha), by Tier	Year of Measurement										Current Status	Deferral		Target
		2019	2020	2021	2022	2023	2024	2025	2026	2027	2028				
	Tier 1 (Sub-tier 13)	N/A	N/A	N/A	N/A	0						0	2023-2073	50 yrs	0
	Tier 1 (Sub-tier 19)	N/A	N/A	N/A	N/A	0						0	2023-2073	50 yrs	0
	Tier 1 (Other)	N/A	N/A	N/A	N/A	0						0	2023-2043	20 yrs	0
	Tier 2 (Sub-tier 11)	N/A	N/A	N/A	N/A	0						0	2023-2073	50 yrs	0
	Tier 2 (Other)	N/A	N/A	N/A	N/A	178						178	2043-2073	Future	N/A
	Tier 3	N/A	N/A	N/A	N/A	2,093						2,093	None	None	N/A
CM-4 (old CMHA)	N/A	N/A	N/A	N/A	0						0	2023-2073	50 yrs	0	
Variance	Small variances may be required in these areas for addressing forest health, fire salvage, safety, or other non-timber values.														
Comments	- Tier 1 and Tier 2 contain current and future high quality caribou habitat, preventing disturbance in them is in alignment with the Range Plan for Woodland Caribou in Saskatchewan (SK2 West Caribou Administration Unit). CM-4 is known to have extensive caribou use and is vital for connectivity between the Tier 1 and Tier 2 areas that exist on the Mistik FMP Area. - Tier 1, Sub-tiers 13 and 19 have a deferral to 2073, while the remainder of Tier 1 is deferred to 2032. Tier 2, Sub tier 11 is deferred to 2073, while Tier 2 is deferred starting in 2043-2073. - The FMP was amended effective April 1, 2023 to gain alignment with the <i>Range Plan for Woodland Caribou in Saskatchewan (SK2 West Caribou Administration Unit)</i>. Annual Reports starting in 2023/24 reflect the new indicators for this target.														

Indicator #7c

Current habitat availability for Moose vs. predicted future (modeled) supply

Status

Off Target

Target #7c


Total moose habitat will meet or exceed the 10-year projection.

Reporting Cycle

Annual

Assessment Cycle

Annual



Habitat Category	Year of Measurement										Current Status	% of Target	10-year Projection
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028			
High Suitability (ha)	500,419	509,682	488,630	390,136	319,658						319,658	N/A	479,740
Medium Suitability (ha)	345,658	333,954	326,921	422,318	366,846						366,846	N/A	457,707
Low Suitability (ha)	119,659	118,969	117,168	115,964	107,920						107,920	N/A	126,969
Total (ha)	965,736	962,605	932,720	928,418	794,424						794,424	76.6%	1,064,416

Variance

10% acceptable variance.

Comments

- Habitat is categorized based on scores given for the presence of disturbance, stand type, % conifer, canopy closure, and adjacency to young stands and/or riparian vegetation. These scores are added up for each stand, with the total score determining the habitat type. This process is based on work by Dr. Gilbert Proulx of Alpha Wildlife aimed at developing predictive criteria for use in the analysis of current and future habitat supply for moose (as described in Mistik's 2019 20-Year Forest Management Plan, Volume III, page 58). A summary of scoring criteria is provided in the supplemental data package.
- This indicator will be reviewed and monitored annually, however despite the FMP identifying it as being assessed annually, as per the 2017 FMP Standard, it will be formally assessed in 5-year increments.

5-Year Assessment

This indicator is off target in 2023. In this analysis, the best habitat for moose is defined as old, multi-story conifer stands that are adjacent to both early seral stage forest and aquatic vegetation/streams. Mitigation therefore involves leaving more retention in harvest events to create a "mosaic" of old and young forest next to riparian areas. This minimizes losses of moose habitat due to harvest, and can also create new, or higher-quality moose habitat by

providing an early seral stage component to some areas. Note that it will take at least 5 years following harvest with increased retention practices for this area to be considered high-quality habitat, as harvested area is only considered “early seral stage forest” after 5 years, so increased retention practices in 2023 onwards will not be seen as a benefit until 2027 or later. Additionally, a significant amount of area burned in 2023, resulting in a decrease in moose habitat that was not accounted for in the 10-Year FMP Projection. See indicator 11 for more information.

In 2024, Mistik identified a specific area in the Divide forest that is high-quality moose habitat and avoided this area for harvest as part of the 2025/26 operating plan. Where possible, Mistik will continue to identify similar small potential areas annually to help improve overall suitable habitat.



Figure 5 – Example from the Mistik FMA showing complex of regenerating forest (background), old forest, and wetland.

Indicator #8

Seedlings are from wild or improved seed sources

Status

On Target

Target #8


No tree seedlings planted on the Mistik FMP area shall be from GMO sources, and the amount of seedlings from improved sources will be tracked separately (Target revised at October 2022 PAG meeting)

Reporting Cycle

Annual

Assessment Cycle

5-Year



Category	Year of Measurement										Current Status	Target
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028		
Trees Planted (Improved Seed)	30,240	0	0	0	0						0	N/A
Total Trees Planted	837,943	1,105,001	1,199,245	1,075,810	1,098,266					Assessment Year	1,104,030	N/A
% Seed from Improved Sources	3.6%	0%	0%	0%	0%						0%	0%
Variance	5% acceptable variance											
Comments	- Mistik received approval in 2019 to utilize seedlings grown from Alberta seed lot sources. Seed lots were located parallel to the Mistik FMA and are expected to be suitable for growing conditions in Mistik's FMA. - No trees from improved seed were planted in 2020 - 2023. - After reviewing previously reported planted tree numbers with the ministry, small corrections have been made. - Discussion was held with the Public Advisory Group in order to refine this target, as the use of improved stock via selective tree breeding and improvement programs is considered positive; concerns around this indicator refer more to "artificially" improved stock such as GMOs. The new target (starting in 2023/24) is: <i>No tree seedlings planted on the Mistik FMP area shall be from GMO sources, and the amount of seedlings from improved sources will be tracked separately (Target revised at October 2022 PAG meeting).</i> - After reviewing previously reported planted tree numbers with the ministry, small corrections have been made.											

Indicator #9

Post-harvest areas are successfully regenerated

Target #9

100% of surveyed post-harvest area shall meet provincial stocking requirements according to the provincial Regeneration Assessment Standard (Establishment and Free to Grow surveys).

Status


Off Target

Reporting Cycle


Annual

Assessment Cycle


5-Year



Current – Est. Surveys



Current – FTG Surveys



Target

Actual (% SR)

Actual (% NSR)

Survey Type	Year of Measurement										Current Status	Target
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028		
Establishment Surveys (% ha SR)	100.0%	100.0%	100.0%	90.4%	100.0%						100.0%	100%
Free-To-Grow Surveys (% ha SR)	98.7%	100.0%	100.0%	100.0%	99.5%						99.5%	100%
Assessment Year												
Variance	No acceptable variance.											
Comments	- Surveys reported are those that are completed in each respective year, regardless of year of harvest. - In 2022, establishment surveys on five blocks (85006059, 85006062, 85006063, 85006068, and 85006069) were determined as Not sufficiently regenerating (NSR). These are blocks associated with the 21BR-HELENE wildfire in 2021. The fire area was revisited in the fall of 2023 and additional regeneration that grew during the summer of 2023 was noted. Planting of some areas in the HELENE fire was completed in 2024.											

Indicator #9	Post-harvest areas are successfully regenerated	Status	Off Target
Target #9	100% of surveyed post-harvest area shall meet provincial stocking requirements according to the provincial Regeneration Assessment Standard (Establishment and Free to Grow surveys).	Reporting Cycle	Annual
5-Year Assessment	<u>5-Year Assessment</u> The 2019 NSR at free-to-grow is due to the 15BN-BRAY and 15BR-POND19 fires (Blocks 4014013, 11012045, 11012061, 11012064, 11013012, and 11013017). The 2022 NSR at establishment is due to the 21BR-HELENE fire (Blocks 85006059, 85006062, 85006063, 85006068, and 85006069). See notes above re. post-fire renewal treatments. The 2023 NSR at free-to-grow is due to the 22DN-MOOSE and the 23LX-SHAW fires (Blocks 01018013, 10019800, and 10019801). Blocks are being monitored for regeneration. Examples are provided below in Figure 6 for a block in the Helene fire that was planted in 2024, and in Figure 7 for an example of this treatment in an older fire.  Figure 6 - Helene fire block. Roads and open landings were planted in 2024	Assessment Cycle	5-Year

Indicator #9	Post-harvest areas are successfully regenerated	Status	Off Target
Target #9	100% of surveyed post-harvest area shall meet provincial stocking requirements according to the provincial Regeneration Assessment Standard (Establishment and Free to Grow surveys).	Reporting Cycle	Annual
		Assessment Cycle	5-Year
	 Figure 7 - FTG survey in the 2015 Bray Fire in the Dinner North operating area (survey was done in 2019).		

Indicator #10

Change in the managed forest landbase area

Status

On Target

Target #10


Less than 2% of the productive forest land base shall be converted to permanent or currently not reclaimed Mistik- and L&M-related access structures (roads and gravel / borrow pits).

Reporting Cycle

Annual

Assessment Cycle

5-Year



Category	Year of Measurement										Cumulative Status	Target
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028		
% Productive Forest Landbase Converted	0.002%	0.003%	0.001%	0.000%	0.000%						0.006%	2%
Total Permanent Road Added (km)	4.5	6.4	2.8	0.0	0.0						13.7	N/A
Contributing Area Converted (Roads) (ha)	16.1	24.6	10.7	0.0	0.0						51.3	N/A
Contributing Area Converted (Gravel/Borrow Pits) (ha)	0	0	0	0	0						0	N/A
Variance	2% disturbance is the target maximum, but maximum acceptable variance is 10% (i.e., less than 2.2% disturbance)											
Comments	- Only permanent (Class 1 or Class 2) roads are considered and a total right-of-way width of 40m (20m buffer from centerline) is used for both Class 1 and Class 2 roads. Note that the maximum right-of-way width, as per the Forest Operations Standard, is 40m total. Values from previous reports had been assuming a larger right-of-way width, and these values have been corrected to 40m width in this report for all years. - Note that the contributing area converted is less than the total right-of-way area due to the fact that only part of the area covered by these roads is considered contributing. - No construction on class 2 or above roads was completed in 2022 or 2023.											

Indicator #11

Net area disturbed by stand replacing natural events (fire)

Status

Off Target

Target #11


Net area impacted by stand replacing natural disturbance (fire) will be monitored against a threshold of 10% over the 10-year period, above which re-evaluation of the FMP would need to occur.

Reporting Cycle

Annual

Assessment Cycle

Annual



Category	Year of Measurement										Current Status	Cumulative Percent	Target
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028			
% Disturbance - Fire	0%	0%	0.7%	0.7%	14.6%						14.6%	14.58%	0%
Variance	0% disturbance is the target, but maximum acceptable variance is 10% disturbance.												
Comments	- There were a number of large wildfires on the Mistik FMA in 2023, with a total area of 243,367 ha and a contributing area of 122,005 ha. This includes 23BN-VERMETTE (114,058 ha), 23LX-LSZ001-SK (48,588 ha), 23LX-SHAW (75,422 ha), and several other smaller fires. Based on fire data provided by the Ministry of Environment. - While the total area burned exceeds the re-evaluation threshold, approximately half of this area was burned in areas that represent deferrals for caribou habitat (see Target 7b), with approx. 7.3% of the total contributing landbase burned in areas that are currently available for harvest.												

Indicator #12

Proportion of a natural disturbance event retained un-salvaged

Status

On Target

Target #12


In all salvage harvesting activities occurring in natural disturbance events >100 ha, at least 20% of the disturbance area will be left unharvested.

Reporting Cycle

Annual

Assessment Cycle

5-Year



Category	Year of Measurement										Cumulative Status	Target
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028		
# of Salvage Events	0	0	2	1	0						3	N/A
Total Area of Disturbance Events (ha)	70	0	37,381	228	0						37,679	N/A
Salvage Area in Disturbance Events (ha)	0	0	188	0	0						188	N/A
Minimum % Disturbance Area Left Un-salvaged	N/A	N/A	90.3%	N/A	NA						90.3%	20%

Variance


Acceptable range is $\geq 20\%$ and $<100\%$

Comments

- This target only includes disturbance events where salvage operations occurred.
- There were 21,873 ha of fire on the Mistik landbase in 2021. Salvage harvest of burned area occurred in two blocks in 2021 (10.0 ha of block 07015021 in fire 21LX-FORKS, and 133.6 ha of block 85006078 in fire 21BR-HELENE) and in one block in 2022 (44.7ha of block 85006082 in fire 21BR-HELENE) for a total of 188 ha. Salvage of these two fires has now been completed, with 3.8% of 21BR-HELENE salvaged, and 9.7% of 21LX-FORKS salvaged.
- Note that the total area of disturbance events in some previous years (2019 and 2021) were updated to show total area rather than contributing.
- There were no salvage operations in the 2023 fires.

Indicator #13	Yield curve suitability; measured by actual harvest volume (m³/ha) compared to predicted volume	Status	Off Target
Target #13	On an annual and five-year basis and based on updated harvest block boundaries, the total actual delivered softwood and hardwood harvest volume from all sources on the FMA area shall deviate by less than the acceptable variance (15% on a five-year basis) from the volume predicted by the yield curve estimates for the same harvested forest stands.	Reporting Cycle	5-Year
		Assessment Cycle	5-Year

Part 1 – Softwood



Category	Year of Measurement										Five-Year Average	Target
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028		
Predicted Volume (m ³)	189,652	154,869	207,314	217,767	246,850						203,290	N/A
Delivered Volume (m ³)	224,451	172,338	230,525	276,881	281,443						237,128	N/A
Delivered Volume (% Predicted)	118.3%	111.3%	111.2%	127.1%	114.0%						116.6%	100%
Variance	+/-15% acceptable variance.											
Comments	- Differences between predicted and delivered volumes are likely due to a relatively old forest inventory (based on imagery acquired between 1994-2005) being used for these estimates. While there is an upper bound on this target, it should be noted that delivering more volume than predicted is positive as it means that less area needs to be harvested to meet wood supply requirements. - There is 925 m³ delivered softwood volume and 2,234.8 m³ delivered hardwood volume from roads that has not been included in this analysis as it is not known what the pre-harvest state of this volume was. It has been included in other VOITs (e.g., 19a) that utilize delivered volumes.											



2023/24 ANNUAL REPORT

PROJECT #G-275
APRIL 2025


5-Year Assessment

5-Year Assessment

As mentioned, off-target values exceed expected volumes. New inventory is under development and should help going forward once completed.

Indicator #13	Yield curve suitability; measured by actual harvest volume (m³/ha) compared to predicted volume	Status	On Target
Target #13	On an annual and five-year basis and based on updated harvest block boundaries, the total actual delivered softwood and hardwood harvest volume from all sources on the FMA area shall deviate by less than the acceptable variance (15% on a five-year basis) from the volume predicted by the yield curve estimates for the same harvested forest stands.	Reporting Cycle	5-Year
		Assessment Cycle	5-Year

Part 2 – Hardwood



Category	Year of Measurement										Five-Year Average	Target
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028		
Predicted Volume (m ³)	455,878	451,366	467,237	590,135	525,538						498,031	N/A
Delivered Volume (m ³)	454,730	453,205	511,851	574,220	570,903						512,982	N/A
Delivered Volume (% Predicted)	99.7%	100.4%	109.5%	97.3%	108.6%						103.0%	100%
Variance	+/-15% acceptable variance.											
Comments	Differences between predicted and delivered volumes are likely due to a relatively old forest inventory (based on imagery acquired between 1994-2005) being used for these estimates. While there is an upper bound on this target, it should be noted that delivering more volume than predicted is positive as it means that less area needs to be harvested to meet wood supply requirements. There is 925 m³ delivered softwood volume and 2,234.8 m³ delivered hardwood volume from roads that has not been included in this analysis as it is not known what the pre-harvest state of this volume was. It has been included in other VOITs (e.g., 19a) that utilize delivered volumes.											

Indicator #14	Utilization assumption consistency and implementation										Status	On Target
Target #14	There shall be 0 Notices of Violation or Administrative Penalties for operators not meeting the current or otherwise approved utilization specifications.										Reporting Cycle	Annual
											Assessment Cycle	Annual
Number of NOV's/Penalties <												

Indicator #15

Operational adherence to the Tactical Plan

Status

On Target

Target #15


Over the 10-year period, the area harvested outside of the Tactical Plan (T1 and T2 combined) will not exceed 15% of the total Tactical Plan area.

Reporting Cycle

Annual

Assessment Cycle

5-Year



Target Range

Actual (On Target)

Actual (Off Target)

Category	Year of Measurement										Five-Year Total	Target
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028		
Total Area Harvested Outside of T1/T2 (ha)	372	200	444	573	340					Assessment Year	1,924	37,347
% Total Area Harvested Outside of T1/T2	0.1%	0.1%	0.2%	0.2%	0.1%					Assessment Year	0.8%	15%

Variance


Acceptable range is 0% - 15%.

Comments

- Total Tactical Plan area (T1 + T2) = 248,979 ha. Maximum target area harvested outside of the Tactical Plan is (248,979 ha * 0.15) = 37,347 ha.
- In some areas, not all operable stands have been included in the tactical plan due to the coarse-scale nature of that level of planning. These stands are often harvested in conjunction with tactical plan blocks so that merchantable wood is not left isolated.

Indicator #16	Harvesting activities in compliance with all related requirements							Status	Off Target	
Target #16	100% of harvesting activities are in compliance with provincial and federal acts & regulations, approved operating plans, and SK Environmental Code.							Reporting Cycle	Annual	
								Assessment Cycle	5-Year	
Category	Year of Measurement									
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028
All Harvesting Activities in Compliance	✗	✗	✗	✗	✗	□	□	□	□	□
2023 Compliance Summary										
Category	Mistik Inspection Data		Ministry Identified Non-Compliances (Enforcement Action Taken)							
	# of Inspections	# In Compliance with Mistik EMS	Total Items Non-Compliant	No Action Taken	Voluntary Compliance Opportunity	Notice of Violation	Stop Work Order	Administrative Penalty		
Harvesting Activities	208	202	2	2	0	0	0	0		
Variance	No acceptable variance.									
Comments	</									

Indicator #17	Crossing activities in compliance with all related requirements							Status	On Target	
Target #17	100% of watercourse crossings are in compliance with provincial & federal acts / regulations / approved operating plans /SK Environmental Code and aquatic habitat protection permits (AHPP).							Reporting Cycle	Annual	
								Assessment Cycle	5-Year	
Category	Year of Measurement									
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028
All Watercourse Crossings in Compliance	✗	✗	✗	✗	✓					
2023 Compliance Summary										
Category	Mistik Inspection Data		Ministry Identified Non-Compliances (Enforcement Action Taken)							
	# of Inspections	# In Compliance with Mistik EMS	Total Items Non-Compliant	No Action Taken	Voluntary Compliance Opportunity	Notice of Violation	Stop Work Order	Administrative Penalty		
Watercourse Crossings	37	35	0	0	0	0	0	0		
Variance	No acceptable variance.									
Comments	- Mistik conducted a total of 37 watercourse crossing inspections in 2023/24 and in 35 instances, crossing activities were found to be in compliance. - There were no ministry-identified non-compliances for watercourse crossings in 2023/24. - For additional information on regulatory compliance see section 6.2.4. - Note that Mistik’s EMS inspections cover a wide range of items, including some that are not considered legal non-compliances (for instance, internal documentation or tracking procedures) and therefore non-compliances in Mistik’s internal inspections may still be compliant with Ministry requirements.									



Indicator #19a

Utilization of harvest volume schedule (HVS)

Status

On Target

Target #19a

The annual average harvest (based on a five-year period) shall not exceed the approved HVS for softwood or hardwood.



Reporting Cycle

Annual

Assessment Cycle

5-Year

Part 1 – Softwood



Target

Actual (On Target)

Actual (Off Target)

Target

Actual (On Target)

Actual (Off Target)

Category	Year of Measurement										Five-Year Average	2019 FMP HVS
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028		
Softwood Volume Harvested (m³) – Mistik	148,778	110,367	184,553	204,789	161,596					Assessment Year	161,596	652,906
Softwood Volume Harvested (m³) – L&M	75,673	61,971	45,972	75,376	122,876						76,374	88,329
Variance	No acceptable variance.											
Comments												
5-Year Assessment	<u>5-Year Assessment</u>											
	Although the L&M delivered softwood in 2023 exceeds the annual HVS, the previous 5 years' harvest levels are all less than the annual HVS.											

Indicator #19a

Utilization of harvest volume schedule (HVS)

Status

On Target

Target #19a

The annual average harvest (based on a five-year period) shall not exceed the approved HVS for softwood or hardwood.



Reporting Cycle

Annual

Assessment Cycle

5-Year

Part 2 – Hardwood



Target

Actual (On Target)


Actual (Off Target)

Target

Actual (On Target)

Actual (Off Target)

Category	Year of Measurement										Five-Year Average	2019 FMP HVS
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028		
Hardwood Volume Harvested (m³) – Mistik	442,072	424,941	484,138	542,824	529,000					Assessment Year	484,595	959,763
Hardwood Volume Harvested (m³) – L&M	12,659	28,265	27,713	31,397	44,238						28,854	47,903
Variance	No acceptable variance.											
Comments												
5-Year Assessment	<u>5-Year Assessment</u>											
	Indicator is on target.											



Indicator #20	Stakeholder and public engagement (Public Advisory Group meetings)	Status	On Target
Target #20	Organize a minimum of 2 public engagement meetings (e.g., PAG meetings) annually.	Reporting Cycle	Annual
		Assessment Cycle	Annual
PAG Meetings Held			

Indicator #21	Spatially identified non-timber resources and forest use activities							Status		On Target	
Target #21	On an annual basis, acquire and input into GIS 100% of all known 'special places', non-timber resources and non-timber forest-use activities and produce a thematic map product which can be produced as a single theme or in combination with other map products.							Reporting Cycle	Annual	Assessment Cycle	Annual
Category	Year of Measurement										
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	
Number of New Additions	0	0	1	0	1						
Map Produced?	☒	☒	☒	☒	☒	☐	☐	☐	☐	☐	
Variance	No acceptable variance.										
Comments	“Special Places” includes areas of public concern, rare wildlife, traditional use areas, unique landforms, visually sensitive areas, and archaeological/heritage sites. - In 2023, one feature was added. - See attached Special Places map.										

Indicator #22		Harvest operations are proportionally distributed across the FMA										Status		Off Target	
Target #22		Harvest area by species grouping and Planning Unit will not exceed 50% of the 10-year Forest Estate Modeling outputs in either of the first two 5-year periods.										Reporting Cycle		Annual	
												Assessment Cycle		5-Year	
Planning Unit	Species Group	Year of Measurement										5-Year Total	% of Target	Target (5-year)	Target (10-year)
		2019	2020	2021	2022	2023	2024	2025	2026	2027	2028				
North	H/HS (ha)	0	0	0	0	0						0	0%	2,754	5,508
	SH (ha)	0	0	0	0	0						0	0%	414	828
	S-WS (ha)	0	0	0	0	0						0	0%	259	517
	S-Other (ha)	0	0	0	0	0						0	0%	2,430	4,859
West	H/HS (ha)	907	773	793	1,059	827						4,359	79%	5,537	11,073
	SH (ha)	18	41	30	13	11						112	36%	311	622
	S-WS (ha)	32	10	28	64	5						139	72%	194	388
	S-Other (ha)	70	146	130	147	210						703	20%	3,495	6,990
Central	H/HS (ha)	851	746	856	1,095	974						4,523	39%	11,551	23,101
	SH (ha)	69	21	51	57	88						286	26%	1,086	2,171
	S-WS (ha)	28	20	55	75	19						197	29%	677	1,353
	S-Other (ha)	138	78	191	195	118						720	10%	7,298	14,595
Divide	H/HS (ha)	707	520	618	696	613						3,153	85%	3,727	7,453
	SH (ha)	45	132	81	58	48						364	85%	427	854
	S-WS (ha)	115	4	49	45	55						269	61%	440	880
	S-Other (ha)	199	151	243	270	308						1,171	57%	2,045	4,089
L&M	H/HS (ha)	56	251	252	248	303						1,109	88%	1,254	2,507
	SH (ha)	52	40	35	31	57						215	100%	216	432
	S-WS (ha)	80	51	21	15	2						170	118%	144	287
	S-Other (ha)	257	234	241	314	544						1,589	84%	1,890	3,779
Variance		No acceptable variance.													
Comments		A map of the planning units can be found in Appendix A.													

5-Year Assessment

- Note that targets are based on model-derived volumes for each planning unit, not the total amount of Tactical Plan area for each species group, resulting in targets that are stricter in some cases than what is actually sustainable. Therefore, despite the proportionally large % of S-WS harvested in the L&M Planning Unit, it has been demonstrated to the MIT that harvest in this species group is nonetheless occurring within sustainable thresholds. Additional details have been provided in the Supplementary Data submission. Mistik will work with the MIT to refine the reporting of this indicator in order to ensure sustainability of harvest levels while accounting for operational realities.
- A revision to the FMP was approved April 1, 2023, with updated targets for this indicator to match the updated forest estate model. As per this revision, the first 5 years (2019/20 – 2023/24) will remain measured against the old targets, and the following 5 years (2024/25 – 2028/29) measured against the updated targets, with the 10-year target being the sum of these. The new targets will be utilized starting with the 2024-25 Annual Report.

5-Year Assessment

As described above, the 5-year targets for this indicator are based on the areas selected for harvest by the Forest Estate Model, which is a somewhat arbitrary subset of the areas available in the Tactical Plan area for each species group/planning unit combination. For planning units and species groups which are relatively small (e.g., S-WS in L&M), this provides very little operational flexibility. Regardless, Mistik has made a substantial effort to remain generally in alignment with these patterns, understanding that in some cases operational realities (e.g., not leaving wood “stranded” unnecessarily) makes these targets difficult or impossible to meet.

More information on these targets are provided in the supplementary data package alongside this document. Revised targets from the 2023 FMP revision will be utilized in years 2024 and onwards as described above.

Indicator #23

Aboriginal community involvement in planning processes

Target #23

Provide a minimum of two opportunities annually for Indigenous communities to have input in Mistik's 20-Year Forest Management Plan processes and implementation. Provide notification to specific co-management/advisory boards annually if no harvesting is planned in their area. This would be used in the case where a group is inactive due to lack of forestry activity in their area and has chosen not to be in regular contact with Mistik/L&M.

Status


On Target

Reporting Cycle

Annual

Assessment Cycle

Annual



Number of Opportunities for Input, by Community	Year of Measurement										Current Status	Target
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028		
Divide Forest Advisory Council Corporation	7	7	5	5	12						12	2
Pierceland/Goodsoil Public Advisory Group *	2	2	2	3	3						3	2
Big Island Lake Cree Nation Chief and Council	6	5	8	3	6						6	2
Waterhen Lake First Nation Chief and Council	2	3	5	6	4						4	2
Beauval Co-management Board	6	8	7	7	5						5	2
Canoe Lake Co-management Board	8	7	10	12	8						8	2
Île-à-la-Crosse – ICS4	4	5	7	5	6						6	2
Buffalo Narrows Mayor and Council	2	2	3	2	5						5	2
Buffalo River Dene Nation Chief and Council	4	3	5	8	4						4	2
Birch Narrows First Nation	1	1	7	4	3						3	2

Variance	No acceptable variance.											
Comments	*The Pierceland/Goodsoil advisory group voluntarily has disbanded and representatives from the area attend the PAG and open houses held for operating plan review each fall. - The number of opportunities for input for the Canoe Lake Co-management Board includes Canoe Lake Cree First Nation and the communities of Jans Bay, and Cole Bay who are also represented on the co-management board.											

Indicator #24	Spatial Identification and protection of culturally significant Heritage and Indigenous sites								Status	On Target
Target #24	On an annual basis, acquire and input into GIS 100% of all known locations of cultural, heritage or traditional Indigenous forest values and develop operating plans that protect these known sites of heritage, cultural and Indigenous forest values.								Reporting Cycle	Annual
									Assessment Cycle	5-Year
Category	Year of Measurement									
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028
Number of New Additions	4	0	1	0	1					Assessment Year
Map Produced?	☒	☒	☒	☒	☒	☐	☐	☐	☐	☐
Variance	No acceptable variance.									
Comments	- Note: Mistik will keep a spatial dataset of known special places; however, due to confidentiality issues, specific details on type may not be available to the general public. 1 new heritage site was identified in 2023. - See attached Special Places Map.									

Indicator #25	Impacts of Climate Change on the Mistik FMP Area									Status	N/A
Target #25	1. The number of “days frozen” annual for three important lakes in the FMP area 2. Operational days lost due to “abnormal” weather/environmental conditions									Reporting Cycle	N/A
										Assessment Cycle	N/A
Part 1 – Annual Days Frozen (Selected Lakes)											
# of Days Frozen 250 200 150 100 50 - 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 Avg. Year Turtle Lake Canoe Lake Peter Pond Lake											
Category	Year of Measurement										Cumulative Average
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	
Number of Days Frozen (Turtle Lake)	184	177	178	180	168						177
Number of Days Frozen (Canoe Lake)	194	184	180	177	169						181
Number of Days Frozen (Peter Pond Lake)	177	183	182	176	173						178
Variance	N/A										
Comments	The three lakes chosen are all locally important for fishing/sustenance and recreation within the FMP area. Local people near each lake assist Mistik with monitoring ice conditions. The trend over time may show a decline in each lake’s total number of “frozen days” per year which has impacts to the local people. “Days frozen” begin when the entire lake is frozen and end when all the ice is gone. This indicator is voluntary monitoring commitment described in Mistik’s 2019 20-Year Forest Management Plan, Volume III, Section 3.8 related to a study focusing on the impacts of climate change on sustainable forest management on the Mistik FMP area¹. As such, there are no associated targets. ¹Andrews-Key, S. A. 2018. Vulnerability and Adaptation to Climate Change in Sustainable Forest Management and the Forest Industry in Saskatchewan. (Unpublished doctoral dissertation). University of Saskatchewan. Saskatoon. Saskatchewan. Canada.										

Indicator #25

Impacts of Climate Change on the Mistik FMP Area

Status

N/A

Target #25

1. The number of “days frozen” annual for three important lakes in the FMP area
2. Operational days lost due to “abnormal” weather/environmental conditions


Reporting Cycle

N/A

Assessment Cycle

N/A

Part 2 – Operational Days Lost due to Abnormal Environmental Conditions



Season	Category	Year of Measurement										Cumulative Average
		2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	
Summer	Harvest Shut Down (Too Dry)	0	0	5*	0	0*						1
	Harvest Shut Down (Too Wet)	10	8	0	0	0						4
	Harvest Moved (Too Wet)	0	0	0	3	0						1
Winter	Harvest Shut Down (Too Warm)	0	0	0	0	0						0
	Haul Weight Change (Too Warm)	15	2	25	23	33						20
Total		25	10	30	26	33						26
Variance		N/A										

Comments

- Mistik monitors the following (number of days):
 - In Summer (Start-up until October 31):
 - Harvesting shut downs due to extremely dry (high fire hazard) or extremely wet conditions.
 - Harvesting moves directly related to wet conditions.
 - In Winter (November 31 until February 28) – note that in the FMP, winter dates were defined as November 1 – March 31. Mistik does not consider warmer temperatures in March abnormal, and as such does not record these days.
 - Harvesting shut downs due to warm temperatures.
 - Winter haul weight changes due to warm temperatures
- This indicator is voluntary monitoring commitment described in Mistik's 2019 20-Year Forest Management Plan, Volume III, Section 3.8 related to a study focusing on the impacts of climate change on sustainable forest management on the Mistik FMP area¹. As such, there are no associated targets.
- In the FMP, the winter dates were defined as November 1 - March 31. Mistik does not consider warmer temperatures in March abnormal, and as such does not record these days.

** 2021 - There were an additional 16 days in July with bunching and skidding limited to night shift due to fire risk.*

** 2023 had harvest moves due to fire hazard restrictions (Contractor was moved to a different stand type/area in order to continue working)*

¹Andrews-Key, S. A. 2018. *Vulnerability and Adaptation to Climate Change in Sustainable Forest Management and the Forest Industry in Saskatchewan. (Unpublished doctoral dissertation). University of Saskatchewan, Saskatoon, Saskatchewan, Canada.*

Indicator #26a	Contributions to Co-management Boards								Status	On Target
Target #26a	On an annual basis, contribute financially to co-management boards according to the terms and conditions of co-management agreements.								Reporting Cycle	Annual
									Assessment Cycle	5-Year
Category	Year of Measurement									
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028
Contributions Met?	☒	☒	☒	☒	☒	☐	☐	☐	☐	☐
Variance	Acceptable variance is 20% of the 5-year target, based on the terms of the agreement.									
Comments	- As part of Mistik's annual financial audit, an assessment is made on co-management fee payments. The assessment is done to determine if the payment amounts were correctly calculated based on the fee payment schedule. - Mistik entered into a new joint co-management agreement with three communities in 2022.									

Indicator #26b

% of total annual vendor / contractor payments made to local businesses

Status

On Target

Target #26b


On an annual basis, 60% of total annual vendor/contractor payments made by Mistik & L&M will be to businesses from local communities in, and adjacent to, the FMA area.

Reporting Cycle

Annual

Assessment Cycle

5-Year



Category	Year of Measurement										Current Status	Target
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028		
% Vendor Payments to Local Businesses	70.2%	60.0%	91.0%	79.6%	75.0%					Assessment Year	75.0%	60%

Variance

Acceptable variance is 20% of total annual vendor/contractor payments (acceptable range: 40% - 100%).

- The following communities are considered "local": Michel Village, St. Georges Hill, Dillon, Buffalo Narrows, Canoe Lake, Jan's Bay, Cole Bay, Beauval, Île-à-la-Crosse, Waterhen, Meadow Lake, Glaslyn (L&M), and Spiritwood (L&M).

Comments

Indicator #26c

Percent of 'within-FMA area' communities represented in the workforce

Status

On Target

Target #26c


100% of 'within-FMA area' communities shall be represented in the L&M and Mistik-related workforce.

Reporting Cycle


Annual

Assessment Cycle

5-Year



Category	Year of Measurement										Cumulative Average	Target
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028		
% of Local Communities Represented in Workforce	92%	69%	92%	100%	100%					Assessment Year	91%	100%
Variance	Acceptable variance is 20% (acceptable range is 80% - 100% of 'within-FMA area' communities).											
Comments	- The following communities are considered "local": Michel Village, St. Georges Hill, Dillon, Buffalo Narrows, Canoe Lake, Jan's Bay, Cole Bay, Beauval, Île-à-la-Crosse, Waterhen, Meadow Lake, Glaslyn (L&M), and Spiritwood (L&M). - All 13 communities were represented in 2022 and in 2023.											



6 FMP STANDARD REPORTING REQUIREMENTS

Reporting requirements, in addition to the indicators above, are outlined in the *Saskatchewan Environmental Code – Forest Management Planning Standard* (Section 1-54).

6.1 MANAGEMENT IMPLEMENTATION TEAM (MIT)

The MIT met February and March of 2022 to begin completed the process of amending the FMP to gain alignment with the Range Plan for Woodland Caribou in Saskatchewan (SK2 West Caribou Administration Unit) in May 2023. The MIT will be engaged in the presentation of the final 2023-24 annual report in May 2025. Going forward, the MIT will be engaged as often as necessary with respect to implementation of the forest management plan and annual reports.

6.2 ANNUAL REPORT CONTENT

6.2.1 VOIT Tracking and Monitoring

VOIT updates in this annual report include an assessment of each target and notes on deviations and why they are occurring. Supporting data is either provided in this document or to the ministry separately (for confirmation/analysis). In some cases, the data is confidential (financial or stakeholder-related) and therefore not all background data is included in this document.

Mechanisms employed in Mistik monitoring processes include several systems:

- The environmental management system (EMS) and certification processes include standard operating procedures, annual staff and contractor training, a self-inspection program and report, and an external audit. The EMS also includes procedures for regular (typically daily) monitoring of various operational activities and administrative processes.
- There are several databases that are maintained that contribute to VOIT monitoring including GIS and associated data, tracking of silviculture and indicator-related information, stakeholder commitments, operating plan approval and amendment conditions, watercourse crossing activity and other certification, operational and planning-related data. Some of this information is provided to the ministry at various required intervals (e.g., annual data submission, monthly stakeholder commitments, etc.).

- Stakeholder and public engagement records are maintained at Mistik. As many of these contain confidential information, they are not included in this document. The records are made available to the ministry and external certification auditors. A summary of public concerns can be found in Appendix A. Mistik posts an advertisement in the local newspaper each year during operating plan development (fall) inviting the public to have input in the planning process. Mistik also has ongoing, regular engagement with stakeholders throughout the operating year.
- External certification audit results are provided to Mistik and can also be found on the Mistik website.

6.2.2 FMP Registry

The status of each of Mistik's 2019 20-Year FMP Commitments is as follows.

Mistik 2019 20-Year Forest Management Plan Commitments (Volume III Registry Items)			
Commitment	Measurement Criteria	Schedule for Completion	Annual Update
Public Involvement (Public Engagement Process)			
Mistik will update the Mistik Register of Public Issues and Concerns on an annual basis	Evidence of the review process and publicly available Register	Annual implementation and reporting (August 31)	Registry has been updated. There were no public complaints made to Mistik during 2023/24. Register of public concerns can be found in Section A4.
Non-Timber Values			
Identify visually sensitive areas (VSA) and maintain specified visual quality objectives (VQO).	Evidence in the annual report of the identification of visually sensitive areas and specified visual quality objectives	Annual implementation and reporting (August 31)	VSA are inspected based on established VQO's during harvest operations, as part of the annual external audit and the EMS self-inspection process.
Maintain database of watercourse crossings	Mistik/L&M GIS layer and operating plans maps to illustrate location, type, and size of crossing	GIS layer and maps to be updated annually.	Mistik's GIS is updated on a regular basis as watercourse crossings are installed and removed. Data is provided to the ministry annually in the operating plan and under the Forest Data Submission Standard.

Mistik 2019 20-Year Forest Management Plan Commitments (Volume III Registry Items)			
Commitment	Measurement Criteria	Schedule for Completion	Annual Update
Natural Disturbance			
With respect to an incipient outbreak of an invasive insect, Mistik will collaborate with the Ministry of Environment in mapping, monitoring, and assisting in facilitating a control program	Resources allocated to mapping, monitoring, and assisting with a control program	As required.	There have been no reported invasive insect outbreaks on the Mistik or L&M FMA in 2023/24
Conformance with the Tactical Plan			
With respect to independent operators, Mistik will collaborate with Saskatchewan Ministry of Environment to obtain annual records.	Independent operator "report" (geospatial and attribute data) provided to Mistik by the ministry on an annual basis. Independent operator harvest area records retained in Mistik's GIS system.	Annual implementation and reporting (August 31).	Independent operator report for 2023/24 was provided to Mistik on February 14, 2025.

Additionally, the status of Mistik's 2019 FMP approval conditions, is as follows.

Mistik 2019 20-Year Forest Management Plan Approval Conditions	
Condition	Current Status
(a) Proceed with the development in accordance with the FMP	Implementation of the FMP began effective April 1, 2019.
(b) Provide notification of any changes	No notifications of changes have been submitted to the ministry as of the submission of this annual report.
(c) Follow the requirements of <i>The Forest Resources Management Act</i> , other laws, and the Saskatchewan Environmental Code	Results are reported annually and can be found in Section 6.2.4.

Mistik 2019 20-Year Forest Management Plan Approval Conditions	
Condition	Current Status
(d) Adapt the FMP based on the direction provided by the Range Plan for Woodland Caribou in Saskatchewan	The plan amendment was submitted to the ministry for review in January 2023 and was approved effective April 1, 2023.
(e) Adapt Silvicultural Ground Rules as better knowledge becomes available	This was done as part of the amendment submitted to the ministry in January 2023.
(f) Complete a study to assess average historical fire-cycle on the Mistik Management Ltd. and L&M Wood Products (2018) Limited Partnership FMA areas within seven years of this approval	Mistik has been working on this in 2023-24.
(g) Complete a study to assess species specific softwood sawlog degrade factors on the Mistik Management Ltd. and L&M Wood Products (2018) Limited Partnership FMA areas within seven years of this approval	This study is no longer required. The Forest Service has verified that a study will be initiated by the province for all large-volume licensees.

6.2.3 Silviculture Effectiveness Monitoring

Status of regenerated areas. All renewal activity and regeneration survey data are provided to the ministry annually through the Forest Data Submission Standard process. See also Target #9 (“Post-Harvest Areas are Successfully Regenerated”), as well as Silviculture Effectiveness Indicators #1-3, located in Appendix A.

Areas where strategies and implementation techniques are inadequate or need improvement. Mistik and L&M have a very high success rate of harvested blocks achieving required Free to Grow status (see Target #9 Post Harvest Areas are Successfully Regenerated). Strategies to improve the regeneration in any “not sufficiently regenerating” (NSR) areas are provided in Mistik’s annual operating plans. Currently all NSR areas are due to fires that occurred in 2015 and 2021. These The 2015 fire areas have had field inspections and are showing good signs of natural regeneration of both hardwood and softwood in the burned areas. The 2021 fire areas are showing good regeneration of hardwood and moderate regeneration of softwood. Mistik has some white spruce planting planned for 2024

in the Helene Fire (2021). They are scheduled for a Free-to Grow re-survey in 2029. There are no indications that Mistik or L&M should change the methods used for regenerating harvested areas at this time.

Polygons are on the yield trajectories that are identified in the associated SGR.

Silviculture effectiveness indicators can be found in Appendix Section A5. These indicators measured observed Free-to-Grow surveys against thresholds identified in Table 14-2 of the Mistik 2019 20-Year Forest Management Plan – Silviculture Ground Rules. These silviculture indicators show that the regenerating mixedwood areas surveyed had both hardwood and softwood densities well above the targets set in the SGRs (Silviculture Effectiveness Indicators #1 and #2). Furthermore, both softwood and hardwood heights in all regenerating areas surveyed were well above the thresholds determined in the SGRs (Silviculture Effectiveness Indicators #3 and #4). It can be determined based on these indicators that the areas surveyed were either consistent with, or exceeding, the trajectories assumed in the Silviculture Ground Rules.

Assumptions in the forest estate modelling. The Silviculture Ground Rules provide assumptions and thresholds for regenerating stand performance used in the Forest Estate Modelling. Performance relative to these thresholds can be found in Appendix Section A5 (see section iii. above for more information). Additionally, FMP Indicators #5, #6, and #9 provide further verification of Forest Estate Modelling assumptions, including whether a.) the softwood component of regenerating stands is maintained, b.) regenerating area is projected to meet targets for future forest composition, and c.) regenerating area meets stocking requirements.

Renewal tracking log. Mistik tracks renewal using several tools including the GIS system and regeneration survey database. All renewal activity and survey data are provided to the ministry annually through the Forest Data Submission Standard process. The data provided includes year of harvest, size of area harvested, renewal treatment applied (planting, leave for natural, site preparation, etc.), and regeneration survey results. NSR area renewal strategies are addressed in Mistik's annual operating plans.

Pre-harvest cover species group and projected SGR classification for all blocks with a Free-to-Grow survey are also provided in the Supplementary Data submission for Indicator #6.

6.2.4 Operational Implementation of the FMP

The following table summarizes non-compliances in 2023/24. Note that Mistik inspections may include items not in compliance with internal administrative processes.

Mistik 2023-2024 Annual Report – Non-Compliances									
Target #/Activity	Mistik Inspection Data			Ministry Identified Non-Compliances (Enforcement Action Taken)					
	# of Inspections	# In Compliance	Not in Compliance	Total Items Non-Compliant	No Action Taken	Voluntary Compliance Opportunity	Notice of Violation	Stop Work Order	Administrative Penalty
Target #14 (Utilization)	9	9	0	0	0	0	0	0	0
Target #16 (Harvesting)	208	202	6	2	2	0	0	0	0
Target #17 (Crossings)	37	35	2	0	0	0	0	0	0
Other - Camps*	Incl. with #16	N/A	N/A	0	0	0	0	0	0
Other - EMS	9	9	0	N/A	N/A	N/A	N/A	N/A	N/A
Other - Roads*	Incl. with #14	N/A	N/A	0	0	0	0	0	0
Total	263	255	8	2	2	0	0	0	0

*Ministry data has included any non-compliance items in the "VOIT#16 Harvest" category

Non-compliances are either identified through a ministry inspection, or they are self-reported by Mistik to the ministry upon discovery. The following actions were taken to address these non-compliances.

In 2023/24, the ministry identified two non-compliances related to harvest operations (VOIT #16 – Harvesting Compliance).

- A non-compliance with no further enforcement action was given for a skidder operator who travelled down a seismic line outside the block. Operators were reminded of the requirements around areas approved for operations at the next regular safety meeting.
- A non-compliance with no further enforcement action was given for an operator who opened the incorrect road closure to access a block. The berm was reestablished.

No non-compliances were found related to watercourse crossings (#17 crossing activity compliance) in 2023-24.

No non-compliances were found related to utilization in 2023/24.

APPENDIX A: SUPPORTING DATA

TABLE OF CONTENTS

Table of Contents	68
A1. Harvested Block Summary	69
A2. Planning Units (Map)	70
A3. Management Units (Map)	71
A4. Register of Public Concerns	72
A5. Silviculture Effectiveness Indicators	73
A6. Harvest Events (Summaries).....	77
A7. Harvest Events (Maps).....	85


A1. HARVESTED BLOCK SUMMARY

The following table lists the harvested blocks included in this report.

Mistik 2023-2024 Annual Report – Harvested Blocks					
Opening Number	Operating Year	Area (ha)	Opening Number	Operating Year	Area (ha)
1012034	2023/24	71.4	4017017	2023/24	44.1
1012101	2023/24	2.1	4019001	2023/24	47.5
1013059	2023/24	32.3	4019025	2023/24	9.8
1015028	2023/24	127.2	4023026	2023/24	149.8
1019047	2023/24	109.9	4042005	2023/24	164.3
1026007	2023/24	317.2	4042009	2023/24	35.8
1034014	2023/24	36.6	7013072	2023/24	148.4
1034015	2023/24	12.0	7014004	2023/24	170.7
1048890	2023/24	19.9	8009043	2023/24	87.4
1054026	2023/24	298.5	8009044	2023/24	27.9
2016046	2023/24	29.2	12013027	2023/24	114.7
2016054	2023/24	175.5	12017006	2023/24	77.5
2016055	2023/24	23.4	85001008	2023/24	115.3
2016056	2023/24	12.4	85001014	2023/24	171.6
2016057	2023/24	38.6	85001015	2023/24	76.5
2041017	2023/24	57.8	85001016	2023/24	72.7
3003015	2023/24	113.3	85003033	2023/24	43.6
3003022	2023/24	31.2	85003087	2023/24	104.3
3004008	2023/24	67.3	85004053	2023/24	97.6
3004011	2023/24	314.5	85004055	2023/24	38.2
4010054	2023/24	160.3	85005017	2023/24	34.1
4017009	2023/24	126.1	85009056	2023/24	78.7
4017011	2023/24	24.3	85010010	2023/24	77.5
4017015	2023/24	15.1			
Total					4,203.88


A2. PLANNING UNITS (MAP)

Planning Units



A3. MANAGEMENT UNITS (MAP)

Management Units




A4. REGISTER OF PUBLIC CONCERNS

Mistik 2019 20-Year Forest Management Plan							
Register of Issues and Concerns related to the Mistik or L&M FMA							
No.	Name and Affiliation	Community Affiliation	Forum and Date	Issue Raised	Mistik Response and Proposed Action Plan	Completion Date of Proposed Action	Other Comments

**Note: There were no new additions to the register of public concerns in 2023*

A5. SILVICULTURE EFFECTIVENESS INDICATORS




Silviculture Indicator #2

Average Hardwood Density in Mixedwood Blocks (14 Years Post-Harvest)

Reporting Cycle

Annual



Category	Year of Measurement										Cumulative Average
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	
Average Hardwood Density (stems/ha)	8,339	9,495	8,482	7,397	8,676						8,478
Comments	- Surveys reported include any Free-to-Grow surveys conducted in 2023 that were assigned a projected mixedwood SGR classification (SH or HS) at rotation age. See Target #6 for more information. - Densities of 1,000 stems/ha and 2,000 stems/ha are provided as target hardwood density thresholds for SH and HS stands, respectively, in Mistik's 2019 20-Year FMP Silviculture Ground Rules.										

Silviculture Indicator #3

Average Softwood Tree Heights (14 Years Post-Harvest)

Reporting Cycle


Annual

Average Softwood Height



■ Average Softwood Height

Area by Softwood Height Class



■ Area

Softwood Height Class	Year of Measurement										Cumulative Average
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	
% Area ≤ 0.5m	0%	0%	0%	0%	0%						0.0%
% Area 0.51 – 1.0m	0%	0%	0%	0%	0%						0.0%
% Area 1.1 – 1.5m	0%	0.5%	2.4%	0%	13.5%						2.0%
% Area 1.6 – 2.0m	0.8%	0%	0%	1.8%	1.7%						0.6%
% Area 2.1 – 2.5m	13.8%	24.9%	6.5%	4.7%	11.2%						13.5%
% Area 2.6 – 3.0m	57.1%	26.4%	43.3%	39.3%	66.6%						44.7%
% Area > 3.0m	28.4%	48.3%	47.8%	54.2%	7.1%						39.2%
Area-Weighted Average Height (m)	3.2	3.7	3.6	3.4	2.8						3.3

Comments

- Softwood heights refer to the average height of the dominant softwood species within a surveyed area.
- Heights of 2m and 1.5m are provided as target heights for Jack Pine and other softwood species, respectively, in Mistik's 2019 20-Year FMP Silviculture Ground Rules.

Silviculture Indicator #4

Average Hardwood Tree Heights (14 Years Post-Harvest)

Reporting Cycle


Annual

Average Hardwood Height



Average Hardwood Height

Area by Hardwood Height Class



Area

Hardwood Height Class	Year of Measurement										Cumulative Average
	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	
% Area ≤ 2.0m	0%	0%	0%	0%	0%						0%
% Area 2.1 – 3.0m	0%	0%	0%	0%	0%						0%
% Area 3.1 – 4.0m	0%	0%	0%	1.4%	3.2%						1.3%
% Area 4.1 – 5.0m	1.6%	2.0%	0.8%	11.2%	11.8%						3.8%
% Area 5.1 – 6.0m	14.7%	12.3%	12.7%	14.5%	10.8%						13.1%
% Area 6.1 – 7.0m	39.4%	55.8%	36.1%	43.0%	69.3%						45.9%
% Area > 7.0m	44.4%	29.9%	50.5%	29.9%	4.8%						35.8%
Area-Weighted Average Height (m)	7.1	7.0	7.1	6.7	6.3						6.9

Comments

- Hardwood heights refer to the average height of the dominant hardwood species within a surveyed area.
- A height of 3m is provided as a target for hardwood species in Mistik's 2019 20-Year FMP Silviculture Ground Rules.

A6. HARVEST EVENTS (SUMMARIES)


The tables below indicate the status of harvest events on the Mistik FMA as of the 2023/24 operating year. Events are only considered “completed” if all harvesting, silviculture, and reclamation activities have been completed.

One event was considered “complete” in 2023/24 (TA007); however, this event was unique in that a single block had been harvested in this area before the entire event area was burned. It was determined in this year that no future harvest would occur in this event as a result. As a result, this event is not necessarily representative of Mistik’s strategies with respect to retention or harvest patterns as it was not allowed to be completed in its entirety prior to being burned over.


The following figure illustrates the process used to generate the boundaries of harvest events and retention.

Harvest Events – Process

The process to determine harvest “events” is as follows:



Step 1: Cut blocks (black) that are harvested within the given 10-year period are buffered outwards by 250m (blue).



Step 2: Buffers are merged (green).



Step 3: Resultant polygon (green) is buffered inwards by 250m (orange).



Step 4: Resulting polygon (orange) is considered the event boundary.

Harvest Event Retention – Process

The process to determine retention within harvest events is as follows:



Harvest cut block (grey) boundaries are generated manually using high-resolution photography to complete cutover updates after harvest. Event boundaries (red) are generated using the buffering rules as per the FMP standard (described above). Polygons of insular (green) and proximal (purple) retention are generated manually by reviewing cutover update photography, pre-harvest photography, SFVI inventory, merchantability layers, and other spatial data as required using GIS software.


“Retention” for this process is defined as un-harvested area that meets the following criteria:

- a.) Within the harvest event boundary (red), both inside and outside of cut block boundaries (grey).
- b.) Contains standing timber that is reasonably representative of that harvested within the surrounding cut block(s).
- c.) Is otherwise harvestable based on ground conditions, topography, and any other operational factors (e.g., is not overly wet, steep, etc.).
- d.) Meets all other requirements for retention as per Mistik’s 2019 Forest Management Plan and all other operational requirements.


“Insular” retention is defined as those patches within a harvest event that also fall within a harvested cut block boundary.

“Proximal” retention is defined as the patches that are adjacent to and/or not within a harvested cut block boundary.

Example of insular retention:



Example of proximal retention:



Note that while this process is completed manually for harvest events in the 2022/23 timber year, Mistik is currently developing methodology to complete this retention delineation in a partially or fully automated manner, using updated inventory data.

Additionally, the following tables summarize the number of completed events, and details of each event, including in-progress events. Note that these are updated on an annual basis based on actual harvest boundaries and observed activities, and that all harvested areas reported only include area operated under Mistik's 2019 Forest Management Plan (i.e., harvested in the 2019/20 operating year or later).

Mistik 2019-2028 Harvest Events (Summary)		
Year	Events Completed (#)	% Events Completed in 10 Years or Less
2019	0	N/A
2020	3	100%
2021	6	100%
2022	6	100%
2023	1	100%
2024		
2025		
2026		
2027		
2028		
Total	16	100%

Mistik 2019-2028 Harvest Events											
Event No.	General Area	Status	OP Year Event Started	OP Year Event Completed	Total Years Open	Area Harvested* to Date (ha)	Planned (T1/T2) Harvest Area (ha)	Completed Events			
								Total Area (ha)	Harvested Area (ha)	Total Retention %	Insular Retention %
TA058	Rat Lake	Closed	2017/18	2020/21	3**	1,663.7	1,900.1	2,172.7	1,663.7	4.8%	1.5%
TA249	Booth Bay Road	Closed	2019/20	2020/21	1	60.3	67.6	100.7	60.3	7.9%	1.2%
TA252	Booth Bay Road	Closed	2019/20	2020/21	1	16.9	18.5	23.6	16.9	6.9%	1.4%
TA276	Keeley River Crossing	Closed	2019/20	2021/22	2	134.2	173.4	223.6	134.2	5.1%	1.8%
TA282	Beauval Pastures	Closed	2019/20	2021/22	2	189.6	229.0	352.7	189.6	8.0%	4.1%
TA002	Helene West	Closed	2020/21	2021/22	1	53.5	76.1	93.6	53.5	3.8%	1.1%
TA055	Lavalle	Closed	2020/21	2021/22	1	84.4	84.2	91.8	84.4	6.9%	3.6%
TA150	Musk Creek	Closed	2020/21	2021/22	1	38.7	52.4	56.2	38.7	5.4%	2.0%
TA271	Pringle Lake	Closed	2020/21	2021/22	1	83.1	98.8	117.2	83.1	5.2%	0.6%
TA115a	9 Mile Pine	Closed	2019/20	2022/23	3	996.0	1,236.1	1,382.8	996.0	12.4%	2.4%
TA030	Divide South	Closed	2021/22	2022/23	1	43.5	44.0	60.5	43.5	15.1%	4.3%
TA107	Waterhen Cut-Across	Closed	2022/23	2022/23	1	88.3	108.2	101.1	88.3	14.3%	2.5%
TA274	Pringle Lake	Closed	2022/23	2022/23	1	53.4	67.8	66.2	53.4	11.7%	2.8%
TA296	Canoe Lake West	Closed	2022/23	2022/23	1	199.2	214.2	228.3	199.2	9.9%	9.3%
TA901	Sulby Creek South	Closed	2022/23	2022/23	1	73.0	0.0	95.6	73.0	19.6%	1.7%
TA007	Helene North	Closed	2020/21	2023/24	3	71.8	1,348.9	122.6	71.8	3.4%	3.3%
TA005	Helene South	Open	2019/20	TBD	TBD	571.8	2,711.9	TBD	TBD	TBD	TBD
TA026	Burness East	Open	2019/20	TBD	TBD	1,407.1	9,055.7	TBD	TBD	TBD	TBD
TA039	Scorcher West	Open	2019/20	TBD	TBD	717.0	1,447.4	TBD	TBD	TBD	TBD
TA042	Divide/L&M	Open	2019/20	TBD	TBD	2,980.6	28,213.0	TBD	TBD	TBD	TBD

Mistik 2019-2028 Harvest Events											
Event No.	General Area	Status	OP Year Event Started	OP Year Event Completed	Total Years Open	Area Harvested* to Date (ha)	Planned (T1/T2) Harvest Area (ha)	Completed Events			
								Total Area (ha)	Harvested Area (ha)	Total Retention %	Insular Retention %
TA108	Gravel Ridge	Open	2019/20	TBD	TBD	553.6	3,921.3	TBD	TBD	TBD	TBD
TA118	Gold Lake	Open	2019/20	TBD	TBD	1,487.8	8,127.1	TBD	TBD	TBD	TBD
TA151	Horseshoe Lake	Open	2019/20	TBD	TBD	437.6	6,498.3	TBD	TBD	TBD	TBD
TA158	Musk Creek	Open	2019/20	TBD	TBD	105.7	385.1	TBD	TBD	TBD	TBD
TA162	Martineau South	Open	2019/20	TBD	TBD	11.9	20.7	TBD	TBD	TBD	TBD
TA168	Martineau South	Open	2019/20	TBD	TBD	527.0	1,411.0	TBD	TBD	TBD	TBD
TA177	Mallard	Open	2019/20	TBD	TBD	555.8	4,556.4	TBD	TBD	TBD	TBD
TA209	Low Creek	Open	2019/20	TBD	TBD	1,810.3	3,471.7	TBD	TBD	TBD	TBD
TA004	Moose Country	Open	2020/21	TBD	TBD	31.0	776.2	TBD	TBD	TBD	TBD
TA022	Divide South	Open	2020/21	TBD	TBD	573.7	2,954.5	TBD	TBD	TBD	TBD
TA025	Divide South	Open	2020/21	TBD	TBD	254.7	830.1	TBD	TBD	TBD	TBD
TA129	Waterhen Cut-Across	Open	2020/21	TBD	TBD	208.8	968.4	TBD	TBD	TBD	TBD
TA141	Porcupine Lake	Open	2020/21	TBD	TBD	795.6	1,632.1	TBD	TBD	TBD	TBD
TA237	McCallum Lake	Open	2020/21	TBD	TBD	155.7	1,455.6	TBD	TBD	TBD	TBD
TA260	Beauval Mistletoe	Open	2020/21	TBD	TBD	670.2	4,735.2	TBD	TBD	TBD	TBD
TA262	Keeley Portage	Open	2020/21	TBD	TBD	277.1	4,158.6	TBD	TBD	TBD	TBD
TA263	Booth Bay Road	Open	2020/21	TBD	TBD	65.9	228.9	TBD	TBD	TBD	TBD
TA044	Old Scorchers North	Open	2021/22	TBD	TBD	488.0	856.2	TBD	TBD	TBD	TBD

Mistik 2019-2028 Harvest Events											
Event No.	General Area	Status	OP Year Event Started	OP Year Event Completed	Total Years Open	Area Harvested* to Date (ha)	Planned (T1/T2) Harvest Area (ha)	Completed Events			
								Total Area (ha)	Harvested Area (ha)	Total Retention %	Insular Retention %
TA050	Hunting Lake North	Open	2021/22	TBD	TBD	246.6	1,678.8	TBD	TBD	TBD	TBD
TA128	Green Grass Lake	Open	2021/22	TBD	TBD	139.9	563.1	TBD	TBD	TBD	TBD
TA149	Cold Lake	Open	2021/22	TBD	TBD	206.8	346.6	TBD	TBD	TBD	TBD
TA245	Gold Creek	Open	2021/22	TBD	TBD	101.3	153.2	TBD	TBD	TBD	TBD
TA254	Booth Bay	Open	2021/22	TBD	TBD	210.9	494.5	TBD	TBD	TBD	TBD
TA273	Beauval Mistletoe	Open	2021/22	TBD	TBD	88.6	491.1	TBD	TBD	TBD	TBD
TA311	Grubb Lake	Open	2021/22	TBD	TBD	70.8	533.0	TBD	TBD	TBD	TBD
TA011	Helene North	Open	2022/23	TBD	TBD	22.9	136.9	TBD	TBD	TBD	TBD
TA133	Maynard	Open	2022/23	TBD	TBD	176.4	4,464.6	TBD	TBD	TBD	TBD
TA218	Jumbo North	Open	2022/23	TBD	TBD	318.3	1,072.3	TBD	TBD	TBD	TBD
TA051	Hanley	Open	2023/24	TBD	TBD	127.2	487.3	TBD	TBD	TBD	TBD
TA112	Yamaha Lake	Open	2023/24	TBD	TBD	29.2	574.4	TBD	TBD	TBD	TBD
TA200	Spruce Creek	Open	2023/24	TBD	TBD	257.5	3,876.4	TBD	TBD	TBD	TBD

Notes:

- Area harvested refers only to blocks harvested in the 2019-2020 operating year or later (Harvest under the current tactical plan from 2017 and 2018 has been included in event TA058, however this is an exception and normally only blocks harvested in the 2019/20 operating year or later are considered).
- In some cases, the cut blocks within an event may be completed, however reclamation/renewal may be outstanding.
- Events labelled as "a/b/c/etc." (e.g., TA115a) are split from the original planned event (TA115). Events starting with 9 (e.g., TA901) did not originally exist in the tactical plan and consist partially or completely of non-tactical area.

A7. HARVEST EVENTS (MAPS)

Maps are provided below for the following events completed in 2023/2024:

- TA007




Figure 8 – 2023/2024 Harvest event (TA007)